EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	206	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L2	56	L1 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L3	36	L1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L4	14	L3 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L5	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L6	0	L5 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L7	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L8	1	L7 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L9	0	proxy with web with server with L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L10	2	L7 andproxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L11	1	L7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2009/04/07 11:46
L12	1188	web with ack\$	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/07 11:46
L13	0	L7 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L14	2	L7 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L15	2	L7 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L16	1	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L17	52	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L18	23	L17 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L19	36	(("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6665725") or ("6775706") or ("6829697") or ("6909713")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:46
L20	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L21	8	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

		W00000074.F.4#	SLIO DODI ID			50000/04/07
L22	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L23	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L24	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L25	123	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L26	16	L25.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L27	3	L25.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L28	1056	709/248.œls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L29	16795	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L30	206	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L31	1	L28 and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L32	21	L29 and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L33	432	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L34	194	L33 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L35	41	L33.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L36	28	L35 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L37	2867	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L38	226	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L39	80	L38 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L40	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L41	2	"6857004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L42	75	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L43	10	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L44	5	L43 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L45	930	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L46	54	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L47	18	L46 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L48	872	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L49	65	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L50	30	L49 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L51	122	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L52	131	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L53	68	L52 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L54	206	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L55	56	L54 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L56	36	L54.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L57	14	L56 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L58	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L59	0	L58 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L60	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L61	1	L60 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L62	0	proxy with web with server with L60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L63	2	L60 andproxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L64	1	L60 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L65	1188	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L66	0	L60 and L65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L67	2	L60 and server and ack\$	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L68	2	L60 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L69	1	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L70	52	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L71	23	L70 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L72	36	(("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6665725") or ("6775706") or ("6829697") or ("6909713")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/07 11:46
L73	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L74	8	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L75	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L76	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L77	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L78	123	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L79	16	L78.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L80	3	L78.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L81	123	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L82	1056	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L83	16795	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L84	206	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L85	1	L82 and L84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L86	21	L83 and L84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L87	432	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L88	41	L87.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L89	28	L88 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L90	194	L87 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L91	2867	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L92	226	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L93	80	L92 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L94	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L95	2	"6857004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L96	75	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L97	10	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L98	5	L97 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L99	930	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L100	54	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/07 11:46
L101	18	L100 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L102	872	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L103	65	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L104	30	L103 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L105	122	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2009/04/07 11:46
L106	131	(acknowledg\$7 ack) with primary with client	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/07 11:46
L107	68	L106 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L108	155	acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L109	0	withhold\$4 with acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L110	5	withhold\$4 with acknowledg\$7 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L111	2	withhold\$4 with acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L112	0	L111 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L113	3	L110 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L114	7	withhold\$4 with acknowledg\$7 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L115	4	L114 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L116	4	"6754703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L117	2	"6122664".pn.	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2009/04/07 11:46
			DERWENT; IBM_TDB			
L118	16795	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L119	206	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L120	21	L118 and L119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L121	432	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L122	41	L121.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L123	28	L122 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L124	28	L123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L125	226	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L126	80	L125 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L127	80	L126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L128	16795	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46

L129	206	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L130	21	L128 and L129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L131	21	L130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L132	432	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L133	194	L132 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L134	194	L133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 11:46
L135	5	("20010011294" "20030135614" "4710926" "4960993" "5157663" "5166674" "5177744" "5224100" "5371852" "5559991" "5574533" "5621885" "5664090" "5689722" "5701482" "5724510" "5758144" "5796934" "5812748" "5860010" "5867657" "5903724" "5905736" "5922049" "5968185" "5978565" "6014669" "6035417" "6085217" "6117180" "6154765" "6163855" "6167428" "6178455" "6195760" "6212521" "6247141" "6253230" "6292905" "6295298" "6295573" "6330572" "6347397" "6378128" "6385636" "6415331" "6473793" "6490610" "6502134" "6519712" "6571296" "6640325" "6829670" "6868079" "6965571").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/07 11:55
L136	39	("2003/0200465" "2003/0225760" "2004/0004948" "2004/0158777" "2004/0210795" "2005/0071470" "6532079" "6735717" "6857004" "7143131").URPN.	USPAT	OR	ON	2009/04/07 11:55
S1	107	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:47

:co	17	S1 and @ad < "20020010"	US-PGPUB;	OP	ONI	2007/06/14
S2	47	S1 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2007/06/14 14:30
			IBM_TDB			
S3	18	S1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/02/22 17:34
S4	11	S3 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:48
S5	O	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S6	0	S5 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S7	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S8	1	S7 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S9	0	proxy with web with server with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S10	2	S7 andproxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S11	1	S7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:50
S12	816	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:50
S13	0	S7 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:51

,			<i>ç</i>	6	, , , , , , , , , , , , , , , , , , , ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
S14	2	S7 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:51
S15	2	S7 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:12
S16	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:13
S17	40	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:13
S18	22	S17 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:26
S19	36	(("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6665725") or ("6775706") or ("6829697") or ("6909713")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 14:28
S20	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S21	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S22	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S23	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S24	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:19

S25	64	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:51
S26	7	S25.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:19
S27	1	S25.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:26
S28	760	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:51
S29	11657	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:52
S30	107	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S31	0	S28 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S32	10	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S33	299	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:42
S34	187	S33 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:44
S35	37	S33.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S36	29	S35 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30

S37	2026	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:43
S38	131	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:43
S39	71	S38 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:18
S40	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:50
S41	2	"6857004".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:50
S42	61	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:48
S43	5	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:49
S44	5	S43 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:52
S45	636	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:51
S46	33	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:56
S47	15	S46 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:57
S48	687	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06

S49	42	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:57
S50	27	S49 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S51	82	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S52	91	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S53	63	\$52 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S54	140	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S55	56	S54 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S56	25	S54.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S57	14	S56 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S58	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S59	0	S58 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S60	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

,					, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
S61	1	S60 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S62	0	proxy with web with server with S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S63	2	S60 andproxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S64	1	S60 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S65	947	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S66	0	S60 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S67	2	S60 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S68	2	S60 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S69	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S70	45	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S71	23	S70 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S72	36	(("5640394") or ("6070199") or ("6133846") or ("6172980") or ("6226680") or ("6247060") or ("6252851") or ("6334153") or ("6338078") or ("6393458") or ("6460080") or ("6546428") or ("6587884") or ("6629697") or ("6775706") or ("6829697") or ("6909713")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/27 17:11
S73	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S74	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S75	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S76	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S77	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S78	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S79	10	S78.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S80	1	S78.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S81	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S82	852	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

C02	12004	700/200 200 204 200 206 207 2012	LIC DODLID:	OP	ON	2007/11/27
S83	13294	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2007/11/27 17:11
			IBM_TDB			
S84	140	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2007/11/27 17:11
			IBM_TDB			
S85	0	S82 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S86	14	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S87	319	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S88	38	S87.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S89	29	S88 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S90	190	S87 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S91	2215	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S92	147	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S93	73	S92 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S94	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S95	2	"6857004".pn.	US-PGPUB;	OR	ON	2007/11/27
393	۷	0637004 .рп.	USPAT; EPO; JPO; DERWENT;		ON	17:11
			IBM_TDB			
S96	64	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/11/27 17:11
S97	6	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S98	5	S97 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S99	690	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S100	40	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S101	18	S100 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S102	725	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S103	47	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S104	27	S103 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S105	97	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S106	106	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S107	66	S106 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/11/27 17:11
S108	141	acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:40
S109	0	withhold\$4 with acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S110	5	withhold\$4 with acknowledg\$7 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S111	2	withhold\$4 with acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S112	0	S111 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S113	3	S110 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S114	5	withhold\$4 with acknowledg\$7 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/08/18 08:43
S115	4	S114 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:43
S116	4	"6754703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 09:40
S117	2	"6122664".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:10
S118	14987	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53

S119	177	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S120	16	S118 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S121	388	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S122	40	S121.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S123	28	S122 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S124	28	S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S125	194	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S126	77	S125 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S127	77	S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S128	14987	709/220,222,224,228,236,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S129	177	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S130	16	S128 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54

S131	16	S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S132	388	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S133	193	S132 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S134	193	S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54

4/7/09 12:21:36 PM

C:\ Documents and Settings\ awang2\ My Documents\ EAST\ Workspaces\ 10661096.wsp